



lowa DOT TMC: 515-237-3300

ENSURE ALL OVERWEIGHT AND OVERSIZE VEHICLES ARE PARKED SAFELY

| FREEWAY |
|-----------|
| DIVERSION |

CRITICAL AREAS TO MONITOR

| LOCATION | EXIT | SITUATION | RESPONSE | | | | | | |
|------------------------------------|---------------------------|--|---|--|--|--|--|--|--|
| | Local Diversion - Primary | | | | | | | | |
| I-80 EB Off Ramp to 335th St SB | 29 | Traffic backing up onto interstate | Provide appropriate message on upstream DMS | | | | | | |
| 335th St SB to G18 EB | | Traffic backing up and significant delays due to stop sign | Notify local law enforcement | | | | | | |
| G18 EB to 385th St NB | | Traffic backing up and significant delays due to left turn | Notify local law enforcement | | | | | | |
| 385th St NB to I-80 EB | 34 | Traffic returning to interstate | Monitor location | | | | | | |

Local Diversion - Secondary

NO LOCAL SECONDARY AVAILABLE

Global Diversion

| I-880 EB Off Ramp to IA 191 NB | 28 | Traffic backing up onto interstate | Provide appropriate message on upstream DMS |
|--|----|--|--|
| IA 191 NB to IA 44 EB | | Traffic backing up and significant delays due to stop sign | Notify local law enforcement |
| IA 44 EB at BNSF RR Crossing (Portsmouth) | | Train blocking the crossing (Gates/Flashers) | Contact BNSF Railroad and notify local law enforcement |
| IA 44 EB to US 59 SB | | Traffic backing up and significant delays due to stop sign | Notify local law enforcement |
| US 59 SB to I-80 | 40 | Traffic returning to interstate | Monitor location |

| LOCAL DETOUR | GLOBAL DETOUR | CRITICAL LOCATIONS | RESPONSE Plan | AGENCY CONTACTS | DMS MESSAGES | TRAFFIC CONTROL |
|--|------------------|-----------------------|------------------|--------------------|-----------------|--------------------|
| 1/7 | 2/7 | 3/7 | 4/7 | 5/7 | 6/7 | 7/7 |
| Iowa DOT TMC: 515-237-3300 ENSURE ALL OVERWEIGHT AND OVERSIZE VEHICLES ARE PARKED SAFE | | | | | | ARKED SAFELY |

ALTERNATE ROUTE RESPONSE PLAN

Minor Impact to Traffic (Less Than 30 Minutes)

| Off Peak – | Diversion not implemented: |
|---|--|
| Shoulder Blocked | • On-scene traffic control |
| Off Peak – Shoulder and One Lane Blocked | Deploy informational DMS messaging for approaching traffic |

Intermediate Impact to Traffic (30 Minutes to 2 Hours)

| Peak Period – Shoulder Blocked | Diversion not implemented: • On-scene traffic control |
|--|--|
| Off Period – Shoulder and One Lane Blocked | Deploy informational DMS messaging for approaching traffic |
| Peak Period – Shoulder and One Lane Blocked | Partial Diversion: On-scene traffic control Deploy informational DMS messaging for approaching traffic Deploy DMS messaging directing through traffic to use diversion routes Monitor local diversion routes at critical locations as needed |
| All Lanes Blocked | Full Diversion: On-scene traffic control Deploy DMS messaging directing all traffic to use diversion routes Deploy law enforcement to direct traffic at critical locations |

Major Impact to Traffic (Greater Than 2 Hours)

| Peak Period – Shoulder Blocked | Diversion not implemented: • On-scene traffic control | | |
|--|---|--|--|
| Off Period – Shoulder and One Lane Blocked | Deploy informational DMS messaging for approaching traffic | | |
| Peak Period – Shoulder and One Lane Blocked | Partial/Discretionary Diversion: Deploy cones, barricades, and other appropriate traffic control devices Deploy informational DMS messaging for approaching traffic Deploy DMS messaging directing through traffic to use diversion routes Divert traffic to local diversion routes at discretion of incident commander | | |
| All Lanes Blocked | Full Diversion: Deploy cones, barricades, and other appropriate traffic control devices Deploy DMS messaging directing all traffic to use diversion routes Deploy law enforcement to direct traffic at critical locations | | |

| LOCAL | GLOBAL | CRITICAL | RESPONSE | AGENCY | DMS | TRAFFIC |
|---|--------|-----------|----------|----------|----------|--------------|
| DETOUR | DETOUR | LOCATIONS | PLAN | CONTACTS | MESSAGES | CONTROL |
| 1/7 | 2/7 | 3/7 | 4/7 | 5/7 | 6/7 | 7/7 |
| Iowa DOT TMC: 515-237-3300 ENSURE ALL OVERWEIGHT AND OVERSIZE VEHICLES ARE PARKED SAFEL | | | | | | ARKED SAFELY |

CRITICAL CONTACTS

| Pottawattamie County | | | Shelby County | BNSF Railway Co. |
|----------------------|--------------------|-------------------|----------------|------------------|
| Emergency | Iowa DOT Statewide | Iowa State Patrol | Emergency | 800-832-5452 |
| Communications | ТМС | Comm. Center | Communications | |
| Center | 515-237-3300 | 800-525-5555 | Center | |
| 712-328-5739 | | | 712-755-5160 | |

RESPONSIBILITIES

Pottawattamie County Emergency Communications Center 712-328-5739 Coordinate with the incident commander as to whether a diversion route is needed and which one should be implemented. Notify Iowa DOT statewide TMC of route implemented, incident specific or maintenance needs, and who the incident commander is. • Dispatch County Sheriff, local law enforcement, and fire departments as needed. Inform local municipalities and other jurisdictions that a diversion route is being implemented. • Deploy law enforcement to direct traffic at critical locations as needed. Emergency Responders: • Secure scene. Provide incident information, diversion route recommendations, and towing needs to E911.

- Ensure overweight and oversize vehicles are parked.
- Provide manual traffic control as needed, or as directed by E911 at critical locations.

Iowa DOT Statewide TMC

515-237-3300

Deploy informational DMS and 511 messages to alert motorists of construction, delays, incidents, closures, etc. and/or directional DMS messaging to direct traffic to the implemented diversion route.

- Monitor incidents and critical locations along the implemented diversion route.
- Coordinate with Iowa DOT maintenance facilities regarding traffic control needs.
- Deploy PDMS and Portable CCTV devices as needed for longer duration incidents.
- Coordinate with local municipalities regarding the modification of signals, signal timing, or stop signs.
- Coordinate with railroad authority regarding key crossings along the implemented diversion route.

Iowa State Patrol Comm. Center800-525-5555Dispatch State Patrol.800-525-5555

On-Scene Incident Commander:

- Secure scene.
- Notify appropriate communications center of incident location, anticipated duration, affected lanes, and identify the incident commander.
- Coordinate with the communications center regarding diversion route needs.
- Minimize impact to traffic through coordination of on-scene traffic control.
- Ensure overweight and oversize vehicles are parked.
- When the incident is safely cleared, notify the appropriate communications center that the diversion route is no longer needed.

| LOCAL DETOUR | GLOBAL DETOUR | CRITICAL LOCATIONS | RESPONSE Plan | AGENCY CONTACTS | DMS MESSAGES | TRAFFIC CONTROL |
|---|------------------|-----------------------|------------------|--------------------|-----------------|--------------------|
| 1/7 | 2/7 | 3/7 | 4/7 | 5/7 | 6/7 | 7/7 |
| Iowa DOT TMC: 515-237-3300 ENSURE ALL OVERWEIGHT AND OVERSIZE VEHICLES ARE PARKED SAFEL | | | | | | PARKED SAFELY |

712-755-5160

CRITICAL CONTACTS

Shelby County Emergency Communications Center

Inform emergency responders and local municipalities that a diversion route is being implemented.

- Monitor critical locations.
- Provide manual traffic control as needed, or as directed by E911 at critical locations.
- Notify Iowa DOT statewide TMC of any issues along the implemented diversion route.
- Coordinate with Iowa DOT statewide TMC regarding any maintenance or traffic control needs.

| LOCAL | GLOBAL | CRITICAL | RESPONSE | AGENCY | DMS | TRAFFIC |
|---|--------|-----------|----------|----------|----------|--------------|
| DETOUR | DETOUR | LOCATIONS | PLAN | CONTACTS | MESSAGES | CONTROL |
| 1/7 | 2/7 | 3/7 | 4/7 | 5/7 | 6/7 | 7/7 |
| Iowa DOT TMC: 515-237-3300 ENSURE ALL OVERWEIGHT AND OVERSIZE VEHICLES ARE PARKED SAFEL | | | | | | ARKED SAFELY |

ADDITIONAL CONTACT INFORMATION

| Pottawattamie County Emergency Communications | | | | | | |
|---|--------------|--|--|--|--|--|
| Center | | | | | | |
| Pottawattamie County Sheriff | 712-890-2200 | | | | | |
| Pottawattamie County Emergency | 712-328-5777 | | | | | |
| Mgmt | | | | | | |
| Pottawattamie County Secondary | 712-328-5608 | | | | | |
| Roads | | | | | | |

| Iowa DOT Statewide TMC | | | | |
|------------------------------------|--------------|--|--|--|
| Iowa DOT Statewide TMC (Toll Free) | 888-449-9672 | | | |
| Iowa DOT Maint. Garage – Neola | 712-485-2591 | | | |
| Iowa DOT Maint. Garage – Avoca | 712-343-2655 | | | |
| BNSF Railway Co. | 800-832-5452 | | | |
| Iowa DOT Motor Vehicle Enforcement | 515-237-3300 | | | |

| Iowa State Patrol Comm. Center | | | |
|--------------------------------|--------------|--|--|
| Iowa State Patrol – District 3 | 712-328-8001 | | |
| Iowa State Patrol – District 4 | 712-263-4621 | | |

| Shelby County Emergency Communications Center | | | | |
|---|--------------|--|--|--|
| Shelby County Sheriff | 712-755-5026 | | | |
| Shelby County Emergency Mgmt | 712-755-2124 | | | |
| Shelby County Secondary Roads | 712-755-5954 | | | |

| LOCAL | GLOBAL | CRITICAL | RESPONSE | AGENCY | DMS | TRAFFIC |
|---------------|--------------|-----------|--------------|--------------|----------------|--------------|
| DETOUR | DETOUR | LOCATIONS | PLAN | CONTACTS | MESSAGES | CONTROL |
| 1/7 | 2/7 | 3/7 | 4/7 | 5/7 | 6/7 | 7/7 |
| lowa DOT TMC: | 515-237-3300 | ENSURE AL | L OVERWEIGHT | AND OVERSIZE | VEHICLES ARE F | ARKED SAFELY |

| FREEWAY |
|-----------|
| DIVERSION |

DMS MESSAGES 🗸

| | Sign Location | Page 1 | Page 2 |
|---------|------------------------------------|-------------------|---------|
| | | I-80E AT | DETOUR |
| | I-880 EB @ Beebeetown - SM | EXIT 29 | EXIT 29 |
| L 🔪 | | CLOSED | L66 S |
| 2 | | I-80E AT | DETOUR |
| A A | I-80 EB @ Old 83 - SM | EXIT 29 | EXIT 29 |
| PRIMARY | | CLOSED | L66 S |
| L L L | | I-80 E CLOSED | |
| - | I-80 EB @ McPherson - OH | AT EXIT 29 | |
| U U | | USE EXIT 29/L66 S | |
| LOCAL | | I-80E AT | DETOUR |
| | Applicable On Route PDMS Messages | EXIT 29 | EXIT 29 |
| | | CLOSED | L66 S |
| | | I-80E AT | USE |
| | Applicable Off Route PDMS Messages | EXIT 29 | ALT |
| | | CLOSED | ROUTE |

| ARY | Sign Location | Page 1 | Page 2 |
|------------------|---------------|--------------|--------|
| LOCAI SECOND/ | NO DI | MS AVAILABLE | |

| LOCAL DETOUR | GLOBAL DETOUR | CRITICAL | RESPONSE Plan | AGENCY CONTACTS | DMS MESSAGES | |
|-----------------|------------------|-----------|------------------|--------------------|-----------------|--------------|
| 1/7 | 2/7 | 3/7 | 4/7 | 5/7 | 6/7 | 7/7 |
| lowa DOT TMC: | 515-237-3300 | ENSURE AL | L OVERWEIGHT | AND OVERSIZE | VEHICLES ARE F | ARKED SAFELY |

| FREEWAY |
|-----------|
| DIVERSION |
| |

DMS MESSAGES 🗸

| | Sign Location | Page 1 | Page 2 |
|----------|--|---------------------|----------|
| | | I-80E AT | DETOUR |
| | I-880 EB @ Beebeetown - SM | EXIT 29 | EXIT 15 |
| | _ | CLOSED | IA 191 N |
| | | I-80E AT | DETOUR |
| | I-80 EB @ Old 83 - SM | EXIT 29 | EXIT 29 |
| | | CLOSED | L66 S |
| | | I-80 E CLOSED | |
| | I-80 EB @ McPherson - OH | AT EXIT 29 | |
| | | USE EXIT 29/L66 S | |
| | | I-80 E CLOSED | |
| | I-29/80 W @ S 24th St - OH | AT EXIT 29 | |
| | | USE ALT ROUTE | |
| | | I-80 E CLOSED | |
| | I-80 EXP East of 24th Street - OH | AT EXIT 29 | |
| | | USE EXIT 29/L66 S | |
| A | | I-80 E CLOSED | |
| B | I-29 NB On ramp @ US 275 - SM | AT EXIT 29 | |
| GLOBAL | | USE ALT ROUTE | |
| G | | I-80 E CLOSED | |
| | I-29 NB @ US 275 - OH | AT EXIT 29 | |
| | | USE ALT ROUTE | |
| | | I-80 E CLOSED | |
| | I-29 NB @ South - OH | AT EXIT 29 | |
| | | USE EXIT 47/IA 92 E | |
| | Applicable I-29 NB PDMS Messages Before | I-80E AT | DETOUR |
| | Global Detour | EXIT 29 | EXIT 47 |
| | | CLOSED | IA 92 E |
| | Applicable I-880 EB PDMS Messages Before | I-80E AT | DETOUR |
| | I-80 EB | EXIT 29 | EXIT 15 |
| | | CLOSED | IA 191 N |
| | Applicable I-80 EB PDMS Messages Before Exit | I-80E AT | DETOUR |
| | 29 | EXIT 29 | EXIT 29 |
| | | CLOSED | L66 S |
| | | I-80E AT | USE |
| | Applicable Off Route PDMS Messages | EXIT 29 | ALT |
| | | CLOSED | ROUTE |

| LOCAL Detour | GLOBAL DETOUR | CRITICAL LOCATIONS | RESPONSE Plan | AGENCY CONTACTS | DMS MESSAGES | TRAFFIC Control |
|-----------------|------------------|-----------------------|------------------|--------------------|-----------------|--------------------|
| 1/7 | 2/7 | 3/7 | 4/7 | 5/7 | 6/7 | 7/7 |
| lowa DOT TMC: | 515-237-3300 | ENSURE AL | L OVERWEIGHT | AND OVERSIZE | VEHICLES ARE P | PARKED SAFELY |

DMS MESSAGES ✓

| Primary | Storm Lake State Radio | 712-732-1341 |
|-----------|--------------------------|--------------|
| | Pottawattamie County | 712-256-3051 |
| Secondary | | |
| Global | Storm Lake State Radio | 712-732-1341 |
| | Pottawattamie County | 712-256-3051 |
| | Harrison County | 712-600-9774 |
| | Shelby County | 712-755-5160 |
| | Cass County | 712-243-2204 |
| | BNSF Railway Company | 800-832-5452 |
| | Iowa Interstate Railroad | 800-321-3891 |

| LOCAL | GLOBAL | CRITICAL | RESPONSE | AGENCY | DMS | TRAFFIC |
|---------------|--------------|-----------|--------------|--------------|----------------|--------------|
| DETOUR | DETOUR | LOCATIONS | PLAN | CONTACTS | MESSAGES | CONTROL |
| 1/7 | 2/7 | 3/7 | 4/7 | 5/7 | 6/7 | 7/7 |
| lowa DOT TMC: | 515-237-3300 | ENSURE AL | L OVERWEIGHT | AND OVERSIZE | VEHICLES ARE F | ARKED SAFELY |

| FREEWAY | |
|-----------|--|
| DIVERSION | |

TRAFFIC CONTROL

| LOCATION | INITIAL ACTION/RESOURCE | EXTENDED ACTION/RESOURCE |
|----------|-------------------------|--------------------------|
|----------|-------------------------|--------------------------|

Local Diversion - Primary

| I-80 EB Off Ramp to 335th St SB | Detour signing | Monitor location | |
|---------------------------------|----------------|---|--|
| 335th St SB to G18 EB | Detour signing | Manual traffic control (as needed/peak periods) | |
| G18 EB to 385th St NB | Detour signing | Manual traffic control (as needed/peak periods) | |
| 385th St NB to I-80 EB | Detour signing | Manual traffic control (as needed/peak periods) | |

Local Diversion - Secondary

NO LOCAL SECONDARY AVAILABLE

Global Diversion

| I-880 EB Off Ramp to IA 191 NB | Detour signing | Monitor location | |
|--|------------------|---|--|
| IA 191 NB to IA 44 EB | Detour signing | Manual traffic control (as needed/peak periods) | |
| IA 44 EB at BNSF RR Crossing (Portsmouth) | Monitor location | Coordinate with BNSF Railway and local I enforcement as necessary | |
| IA 44 EB to US-59 SB | Detour signing | Manual traffic control (as needed/peak periods) | |
| US-59 SB to I-80 | Monitor location | Monitor location | |

| LOCAL | GLOBAL | CRITICAL | RESPONSE | AGENCY | DMS | TRAFFIC |
|---|--------|-----------|----------|--------------|----------|---------|
| DETOUR | DETOUR | LOCATIONS | PLAN | CONTACTS | MESSAGES | CONTROL |
| 1/7 | 2/7 | 3/7 | 4/7 | 5/7 | 6/7 | 7/7 |
| Iowa DOT TMC: 515-237-3300 ENSURE ALL OVERWEIGHT AND OVERSIZE VEHICLES ARE PARKED SAFEL | | | | ARKED SAFELY | | |