



CRITICAL LOCATIONS TO MONITOR FOR GLOBAL	AGENCIES TO NOTIFY Iowa DOT TM	C: 515-237-3300
I-29 NB Off Ramp to US 30 WB	Harrison County Emergency Communications Center	712-644-2353
US 75 NB at Blair (seven signals)	Iowa State Patrol Comm. Center	800-525-5555
US 75 NB at Tekamah (signalized ped crossing)	Nebraska State Patrol Comm. Center	402-331-3333
US 75 NB to NE 51/IA 175 EB	Washington County, NE Emergency Communications Center	402-426-6868
IA 175/7th St EB to I-29 NB On Ramp	Burt County, NE Emergency Communications Center	402-374-2924

LOCAL GLOBAL	CRITICAL	RESPONSE	AGENCY	DMS	TRAFFIC
DETOUR DETOUR	LOCATIONS	PLAN	CONTACTS	MESSAGES	CONTROL
1/7 2/7	3/7	4/7	5/7	6/7	7/7

lowa DOT TMC: 515-237-3300

ENSURE ALL OVERWEIGHT AND OVERSIZE VEHICLES ARE PARKED SAFELY

FREEWAY DIVERSION I-29 NORTHBOUND **FROM:** Exit 95 (Easton Trail)

T0: Exit 105 (E60)

CRITICAL AREAS TO MONITOR

LOCATION	EXIT	SITUATION	RESPONSE
I-29 NB Off Ramp to Easton Trail EB	95	Traffic backing up onto interstate	Provide appropriate message on upstream DMS
Easton Trail EB to K45/Austin Ave NB		Traffic backing up and significant delays due to a stop sign	Notify local law enforcement
K45 NB to E60 WB	0 WB Traffic backing up and significant delays due to left turning vehicles		Notify local law enforcement
E60 WB to I-29 NB On Ramp	105 Trattic merging onto inter		Monitor location

Local Diversion – Secondary

NO LOCAL SECONDARY AVAILABLE

Global Diversion

I-29 NB Off Ramp to US 30 WB	75	Traffic backing up onto interstate	Provide appropriate message on upstream DMS
US 75 NB at Blair (seven signals)		Traffic backing up and significant delays due to seven traffic signals	Notify local law enforcement
US 75 NB at Tekamah (signalized ped crossing)		Traffic backing up and significant delays due to a traffic signal	Notify local law enforcement
US 75 NB to NE 51/IA 175 EB	51/IA Traffic backing up and significant delays due to left turning vehicles		Notify local law enforcement
IA 175/7th St EB to I-29 NB On Ramp	112	Traffic returning to interstate	Monitor location

LOCAL	GLOBAL	CRITICAL	RESPONSE	AGENCY	DMS	TRAFFIC
DETOUR	DETOUR	LOCATIONS	PLAN	CONTACTS	MESSAGES	CONTROL
1/7	2/7	3/7	4/7	5/7	6/7	7/7
lowa DOT TMC:	515-237-3300	ENSURE AL	L OVERWEIGHT	AND OVERSIZE	VEHICLES ARE F	ARKED SAFELY

FREEWAY
DIVERSION

I-29 NORTHBOUND FROM: Exit 95 (Easton Trail)

T0: Exit 105 (E60)

ALTERNATE ROUTE RESPONSE PLAN

Minor Impact to Traffic (Less Than 30 Minutes)

Off Peak –	Diversion not implemented:
Shoulder Blocked	• On-scene traffic control
Off Peak – Shoulder and One Lane Blocked	 Deploy informational DMS messaging for approaching traffic

Intermediate Impact to Traffic (30 Minutes to 2 Hours)

Peak Period – Shoulder Blocked	Diversion not implemented: • On-scene traffic control		
Off Period – Shoulder and One Lane Blocked	 Deploy informational DMS messaging for approaching traffic 		
Peak Period – Shoulder and One Lane Blocked	 Partial Diversion: On-scene traffic control Deploy informational DMS messaging for approaching traffic Deploy DMS messaging directing through traffic to use diversion routes Monitor local diversion routes at critical locations as needed 		
All Lanes Blocked	 Full Diversion: On-scene traffic control Deploy DMS messaging directing all traffic to use diversion routes Deploy law enforcement to direct traffic at critical locations 		

Major Impact to Traffic (Greater Than 2 Hours)

Peak Period – Shoulder Blocked	Diversion not implemented: • On-scene traffic control
Off Period – Shoulder and One Lane Blocked	 Deploy informational DMS messaging for approaching traffic
Peak Period – Shoulder and One Lane Blocked	 Partial/Discretionary Diversion: Deploy cones, barricades, and other appropriate traffic control devices Deploy informational DMS messaging for approaching traffic Deploy DMS messaging directing through traffic to use diversion routes Divert traffic to local diversion routes at discretion of incident commander
All Lanes Blocked	 Full Diversion: Deploy cones, barricades, and other appropriate traffic control devices Deploy DMS messaging directing all traffic to use diversion routes Deploy law enforcement to direct traffic at critical locations

	LOCAL	GLOBAL	CRITICAL	RESPONSE	AGENCY	DMS	TRAFFIC
	DETOUR	DETOUR	LOCATIONS	PLAN	CONTACTS	MESSAGES	CONTROL
	1/7	2/7	3/7	4/7	5/7	6/7	7/7
lowa DOT TMC: 515-237-3300			ENSURE AL	L OVERWEIGHT	AND OVERSIZE	VEHICLES ARE F	PARKED SAFELY

TO: Exit 105 (E60)

CRITICAL CONTACTS

Harrison County Emergency Communications Center 712-644-2353	lowa DOT Statewide TMC/MVE 515-237-3300	Iowa State Patrol Comm. Center 800-525-5555
Nebraska State Patrol Comm. Center 402-331-3333	Washington County, NE Emergency Communications Center 402-426-6868	Burt County, NE Emergency Communications Center 402-374-2924

RESPONSIBILITIES

 Harrison County Emergency Communications Center
 712-644-2353

 Coordinate with the incident commander as to whether a diversion route is needed and which one should be implemented.
 8

 • Notify Iowa DOT statewide TMC of route implemented, incident specific or maintenance needs, and who the incident commander is.
 9

 • Dispatch County Sheriff, local law enforcement, and fire departments as needed.
 1

 • Inform local municipalities and other jurisdictions that a diversion route is being implemented.
 9

 • Deploy law enforcement to direct traffic at critical locations as needed.
 1

 Emergency Responders:
 1

- Secure scene.
- Provide incident information, diversion route recommendations, and towing needs to E911.
- Minimize impact to traffic.
- Provide manual traffic control as needed, or as directed by E911 at critical locations.

Iowa DOT Statewide TMC/MVE

Deploy informational DMS and 511 messages to alert motorists of construction, delays, incidents, closures, etc. and/or directional DMS messaging to direct traffic to the implemented diversion route.

- Monitor incidents and critical locations along the implemented diversion route.
- Coordinate with Iowa DOT maintenance facilities regarding traffic control needs.
- Deploy PDMS and Portable CCTV devices as needed for longer duration incidents.
- Coordinate with local municipalities regarding the modification of signals, signal timing, or stop signs.
- Coordinate with railroad authority regarding key crossings along the implemented diversion route.

Iowa State Patrol Comm. Center

Dispatch State Patrol.

On-Scene Incident Commander:

- Secure scene.
- Notify appropriate communications center of incident location, anticipated duration, affected lanes, and identify the incident commander.
- Coordinate with the communications center regarding diversion route needs.
- Minimize impact to traffic through coordination of on-scene traffic control.
- Ensure overweight and oversize vehicles are parked.
- When the incident is safely cleared, notify the appropriate communications center that the diversion route is no longer needed.

LOCAL	GLOBAL	CRITICAL	RESPONSE	AGENCY	DMS	TRAFFIC
DETOUR	DETOUR	LOCATIONS	PLAN	CONTACTS	MESSAGES	CONTROL
1/7	2/7	3/7	4/7	5/7	6/7	7/7
Iowa DOT TMC:	515-237-3300	ENSURE AL	L OVERWEIGHT	AND OVERSIZE	VEHICLES ARE F	ARKED SAFELY

515-323-4360

515-237-3300

- Fromule manual traine control as needed, or as directed by Lott at childar locations.
• Notify Iowa DOT statewide TMC of any issues along the implemented diversion route.
Coordinate with Iowa DOT statewide TMC regarding any maintenance or traffic control n

Monitor global diversion routes in Nebraska and Missouri

• Provide manual traffic control as needed

• Deploy appropriate DMS messages

Washington County, NE Emergency Communications Center

Inform emergency responders and local municipalities that a diversion route is being implemented.

I-29 NORTHBOUND

• Monitor critical locations.

FREEWAY

- Provide manual traffic control as needed, or as directed by E911 at critical locations.
- Notify Iowa DOT statewide TMC of any issues along the implemented diversion route.

Coordinate with Iowa DOT statewide TMC regarding any maintenance or traffic control needs

Purt County N	E Emergency Communications Center
Durt Courity, in	

Inform emergency responders and local municipalities that a diversion route is being implemented.

- · Monitor critical locations.
- Provide manual traffic control as needed, or as directed by F911 at critical locations

needs

1	LOCAL	GLOBAL	CRITICAL	RESPONSE	AGENCY	DMS	TRAFFIC
	DETOUR	DETOUR	LOCATIONS	PLAN	CONTACTS	MESSAGES	CONTROL
	1/7	2/7	3/7	4/7	5/7	6/7	7/7
	Iowa DOT TMC: 515-237-3300 ENSURE ALL OVERWEIGHT AND OVERSIZE VEHICLES ARE PARKED SAFELY						

5B/7

402-331-3333

402-426-6868

402-374-2924

TO: Exit 105 (E60)

FREEWAY		
DIVERSION		

I-29 NORTHBOUND FROM: Exit 95 (Easton Trail)

T0: Exit 105 (E60)

ADDITIONAL CONTACT INFORMATION

Harrison County Emergency Communications Center					
Harrison County Sheriff	612-664-2244				
Harrison County Emergency Management	712-644-5353				
Harrison County Engineering Dept	712-644-3412				
Monona County Sheriff	712-433-1414				
Monona County Emergency Management	712-433-1294				
Monona County Engineering Dept	712-433-2284				
Little Sioux Fire Department	712-649-2211				
Little Sioux Police Department	712-644-2244				
Blencoe Police Department	712-433-1414				

Iowa DOT Statewide TMC/MVE					
lowa DOT Statewide TMC (Toll Free)	888-449-9672				
Iowa DOT Maint. Manager – District 3	712-274-5825				
Iowa DOT Maint. Manager – District 4	712-388-6889				
Iowa DOT Main Garage – Onawa Shop	712-423-2040				
Iowa DOT Main Garage – Onawa HMS Cell	712-261-0199				
Iowa DOT Motor Vehicle Enforcement	515-237-3300				

Iowa State Patrol Comm. Center			
Iowa State Patrol – District 4	712-263-4621		

Nebraska State Patrol Comm. Center			
Nebraska DOT DOC	402-331-5993		

Washington County, NE Emergency C Center	• •		
Washington County Sheriff	402-426-6866		
Washington County Emergency	402-426-6860		

Burt County, NE Emergency Communications Center				
Burt County Sheriff	402-374-2900			
Burt County Emergency	402-374-2944			
Management				

LOCAL	GLOBAL	CRITICAL	RESPONSE	AGENCY	DMS	TRAFFIC
DETOUR	DETOUR	LOCATIONS	PLAN	CONTACTS	MESSAGES	CONTROL
1/7	2/7	3/7	4/7	5/7	6/7	7/7
lowa DOT T	IC: 515-237-3300	ENSURE AI	L OVERWEIGHT	AND OVERSIZE	VEHICLES ARE F	PARKED SAFELY

FREEWAY	HARRISON	I-29	FROM: Exit 95 (Easton Trail)	PLAN 2909	
DIVERSION	County Iowa	NORTHBOUND	T0: Exit 105 (E60)	6/7	
DMS MESSAGES					

	Sign Location	Page 1	Page 2
ARY	I-29 NB @ Pigeon Creek - SM	I-29 NB CLOSED EXIT 95	USE EXIT 95
- PRIMARY	I-29 NB @ Honey Creek - SM	I-29 NB CLOSED EXIT 95	USE EXIT 95
LOCAL	I-29 NB @ MoValley - SM	I-29 NB CLOSED EXIT 95	USE EXIT 95
	I-880 WB @ Old Lincoln – SM	I-29 NB CLOSED EXIT 95	USE EXIT 95

ARY	Sign Location	Page 1	Page 2
LOCAI SECOND,	NO LOCAL SE	CONDARY AVAI	LABLE

AL	Sign Location	Page 1	Page 2
GLOB	NO DI	MS AVAILABLE	

	LOCAL	GLOBAL	CRITICAL	RESPONSE	AGENCY	DMS	TRAFFIC
	DETOUR	DETOUR	LOCATIONS	PLAN	CONTACTS	MESSAGES	CONTROL
	1/7	2/7	3/7	4/7	5/7	6/7	7/7
-	lowa DOT TMC:	515-237-3300	ENSURE AL	L OVERWEIGHT	AND OVERSIZE	VEHICLES ARE F	ARKED SAFELY

FREEWAY	HARRISON	I-29	FROM: Exit 95 (Easton Trail)	PLAN 2909
DIVERSION	COUNTY IOWA	NORTHBOUND	T0: Exit 105 (E60)	7/7

TRAFFIC CONTROL

LOCATION	INITIAL ACTION/RESOURCE	EXTENDED ACTION/RESOURCE
----------	-------------------------	--------------------------

Local Diversion - Primary

I-29 NB Off Ramp to Easton Trail EB	Detour signing	Monitor location
Easton Trail EB to K45/Austin Ave NB	Detour signing	Manual traffic control (as needed/peak periods)
K45 NB to E60 WB	Detour signing	Monitor location
E60 WB to I-29 NB On Ramp	Monitor location	Monitor location

Local Diversion - Secondary

NO LOCAL SECONDARY AVAILABLE

Global Diversion

I-29 NB Off Ramp to US 30 WB	Detour signing	Monitor location
US 75 NB at Blair (seven signals)	Detour signing	Manual traffic control (as needed/peak periods)
US 75 NB at Tekamah (signalized ped crossing)	Detour signing	Manual traffic control (as needed/peak periods)
US 75 NB to NE 51/IA 175 EB	Detour signing	Monitor location
IA 175/7th St EB to I-29 NB On Ramp	Monitor location	Monitor location

LOCAL	GLOBAL	CRITICAL	RESPONSE	AGENCY	DMS	TRAFFIC
DETOUR	DETOUR	LOCATIONS	PLAN	CONTACTS	MESSAGES	CONTROL
1/7	2/7	3/7	4/7	5/7	6/7	7/7
lowa DOT TMC:	515-237-3300	ENSURE AL	L OVERWEIGHT	AND OVERSIZE	VEHICLES ARE F	ARKED SAFELY