


lowa DOT TMC: 515-237-3300

ENSURE ALL OVERWEIGHT AND OVERSIZE VEHICLES ARE PARKED SAFELY

Last update: 11/7/2024



Iowa DOT TMC: 515-237-3300

ENSURE ALL OVERWEIGHT AND OVERSIZE VEHICLES ARE PARKED SAFELY

FREEWAY DIVERSION FROM: Exit 135 (IA 415/ NW 2nd St.)

^{..)} PLAN 6012

T0: Exit 131 (Merle Hay Road)

CRITICAL AREAS TO MONITOR

LOCATION	CATION EXIT SITUATION		RESPONSE
		Local Diversion - Primary	
WB I-80/35 Off Ramp 135		Traffic backing up on ramp	Deploy traffic control individual Adjust Signal Timing Use secondary route
NW 2nd Ave & NW 66th Ave		Traffic backing up at intersection turning left	Deploy traffic control individual Adjust Signal Timing Use secondary route
NW 65th Ln & NW 6th Dr.		Traffic backing up at intersection turning right	Deploy traffic control individual Adjust Signal Timing Use secondary route
NW 6th Dr. & NW 66th Ave		Traffic backing up at intersection turning left	Deploy traffic control individual Adjust Signal Timing Use secondary route
NW 66th Ave & NW Beaver Dr.		Traffic backing up in left turn lane	Deploy traffic control individual Adjust Signal Timing Use secondary route
NW Beaver Dr. & NW Johnson Dr.		Traffic backing up at intersection turning right	Deploy traffic control individual Adjust Signal Timing Use secondary route
NW Johnston Dr. & Merle Hay Rd		Traffic backing up at intersection turning left	Deploy traffic control individual Adjust Signal Timing Use secondary route

Local Diversion - Secondary

NO CRITICAL AREAS TO MONITOR

Global Diversion

I-80 WB to	I-235 WB	System	interchange	Provide appropriate message on upstream DMS
I-235 WB t	o I-80 WB	System	interchange	Provide appropriate message on upstream DMS

LOCAL DETOUR	GLOBAL DETOUR	CRITICAL LOCATIONS	RESPONSE Plan	AGENCY CONTACTS	DMS MESSAGES	TRAFFIC Control
1/7	2/7	3/7	4/7	5/7	6/7	7/7
Iowa DOT TMC: !	515-237-3300	ENSURE AL	L OVERWEIGHT	AND OVERSIZE	VEHICLES ARE F	PARKED SAFELY

I-35 SOUTHBOUND I-80 WESTBOUND FROM: Exit 135 (IA 415/ NW 2nd St.) T0: Exit 131 (Merle Hay Road)

ALTERNATE ROUTE RESPONSE PLAN

Minor Impact to Traffic (Less Than 30 Minutes)

Off Peak –	Diversion not implemented:
Shoulder Blocked	• On-scene traffic control
Off Peak – Shoulder and One Lane Blocked	 Deploy informational DMS messaging for approaching traffic

Intermediate Impact to Traffic (30 Minutes to 2 Hours)

Peak Period – Shoulder Blocked	Diversion not implemented: • On-scene traffic control	
Off Period – Shoulder and One Lane Blocked	Deploy informational DMS messaging for approaching traffic	
Peak Period – Shoulder and One Lane Blocked	 Partial Diversion: On-scene traffic control Deploy informational DMS messaging for approaching traffic Deploy DMS messaging directing through traffic to use diversion routes Monitor local diversion routes at critical locations as needed 	
All Lanes Blocked	 Full Diversion: On-scene traffic control Deploy DMS messaging directing all traffic to use diversion routes Deploy law enforcement to direct traffic at critical locations 	

Major Impact to Traffic (Greater Than 2 Hours)

Peak Period –	Diversion not implemented:		
Shoulder Blocked	On-scene traffic control		
Off Period –	 Deploy informational DMS messaging for approaching traffic 		
Shoulder and One Lane Blocked			
Peak Period –	Partial/Discretionary Diversion:		
Shoulder and One Lane Blocked	 Deploy cones, barricades, and other appropriate traffic control devices 		
	 Deploy informational DMS messaging for approaching traffic 		
	 Deploy DMS messaging directing through traffic to use diversion routes 		
	 Divert traffic to local diversion routes at discretion of incident commander 		
All Lanes Blocked	Full Diversion:		
	• Deploy cones, barricades, and other appropriate traffic control devices		
	 Deploy DMS messaging directing all traffic to use diversion routes 		
	 Deploy law enforcement to direct traffic at critical locations 		

LOCAL DETOUR	GLOBAL DETOUR	CRITICAL LOCATIONS	RESPONSE Plan	AGENCY CONTACTS	DMS MESSAGES	TRAFFIC CONTROL
1/7	2/7	3/7	4/7	5/7	6/7	7/7
lowa DOT TMC:	515-237-3300	ENSURE AL	L OVERWEIGHT	AND OVERSIZE	VEHICLES ARE F	ARKED SAFELY

I-35 SOUTHBOUND I-80 WESTBOUND FROM: Exit 135 (IA 415/ NW 2nd St.)

T0: Exit 131 (Merle Hay Road)

PLAN 6012 5A/7

515-286-3333

CRITICAL CONTACTS

	Polk County Dispatch 515-286-3333	lowa DOT Statewide TMC 515-237-3300	Iowa State Patrol Comm. Center 800-525-5555	Westcom Emergency Communications 515-222-3321
--	---	---	--	--

RESPONSIBILITIES

Polk County Dispatch

Coordinate with the incident commander as to whether a diversion route is needed, and which one should be implemented.

• Notify Iowa DOT statewide TMC of route implemented, incident specific or maintenance needs, and who the incident commander is.

- Dispatch County Sheriff, local law enforcement, and fire departments as needed.
- Inform local municipalities and other jurisdictions that a diversion route is being implemented.
- Deploy law enforcement to direct traffic at critical locations as needed. Emergency Responders:
- Secure scene.
- Provide incident information, diversion route recommendations, and towing needs to E911.
- Minimize impact to traffic.
- Provide manual traffic control as needed, or as directed by E911 at critical locations.

Iowa DOT Statewide TMC

Deploy informational DMS and 511 messages to alert motorists of construction, delays, incidents, closures, etc. and/or directional DMS messaging to direct traffic to the implemented diversion route.

- Monitor incidents and critical locations along the implemented diversion route.
- Coordinate with Iowa DOT maintenance facilities regarding traffic control needs.
- Deploy PDMS and Portable CCTV devices as needed for longer duration incidents.
- Coordinate with local municipalities regarding the modification of signals, signal timing, or stop signs.
- Coordinate with railroad authority regarding key crossings along the implemented diversion route.

Iowa State Patrol Comm. Center

Dispatch State Patrol.

On-Scene Incident Commander:

- Secure scene.
- Notify appropriate communications center of incident location, anticipated duration, affected lanes, and identify the incident commander.
- Coordinate with the communications center regarding diversion route needs.
- Minimize impact to traffic through coordination of on-scene traffic control.
- Ensure overweight vehicles are parked.

• When the incident is safely cleared, notify the appropriate communications center that the diversion route is no longer needed.

LOCAL	GLOBAL	CRITICAL	RESPONSE	AGENCY	DMS	TRAFFIC
DETOUR	DETOUR	LOCATIONS	PLAN	CONTACTS	MESSAGES	CONTROL
1/7	2/7	3/7	4/7	5/7	6/7	7/7
Iowa DOT TMC:	515-237-3300	ENSURE AL	L OVERWEIGHT	AND OVERSIZE	VEHICLES ARE F	PARKED SAFELY

515-237-3300

800-525-5555

TO: Exit 131 (Merle Hay Road)

CRITICAL CONTACTS

Westcom Emergency Communications

Coordinate with the incident commander as to whether a diversion route is needed and which one should be implemented.

• Notify Iowa DOT statewide TMC of route implemented, incident specific or maintenance needs, and who the incident commander is.

- Dispatch County Sheriff, local law enforcement, and fire departments as needed.
- Inform local municipalities and other jurisdictions that a diversion route is being implemented.
- Deploy law enforcement to direct traffic at critical locations as needed.

Emergency Responders:

- Secure scene.
- Provide incident information, diversion route recommendations, and towing needs to E911.
- Minimize impact to traffic.
- Provide manual traffic control as needed, or as directed by E911 at critical locations.

LOCAL	GLOBAL	CRITICAL	RESPONSE	AGENCY	DMS	TRAFFIC
DETOUR	DETOUR	LOCATIONS	PLAN	CONTACTS	MESSAGES	CONTROL
1/7	2/7	3/7	4/7	5/7	6/7	7/7
lowa DOT TMC: !	515-237-3300	ENSURE AL	L OVERWEIGHT	AND OVERSIZE	VEHICLES ARE F	ARKED SAFELY

515-222-3321

FREEWAY
DIVERSION

I-35 SOUTHBOUND I-80 WESTBOUND FROM: Exit 135 (IA 415/ NW 2nd St.)

T0: Exit 131 (Merle Hay Road)

PLAN 6012 5B/7

ADDITIONAL CONTACT INFORMATION

Polk County Dispatch				
Des Moines Dispatch	515-283-4811			
WestCom Communications Center	515-222-3321			

Iowa State Patrol Comm. Center		
Iowa State Patrol – District 1	515-725-0010	
Iowa State Patrol – District 15	515-281-6176	
Iowa State Patrol – District 16	515-281-3879	
Iowa State Patrol – Central HQ	515-725-6090	

Iowa DOT Statewide TMC			
Iowa DOT Statewide TMC (Toll Free)	888-449-9672		
Iowa DOT Maint. Garage – Des Moines	515-265-1614		

	LOCAL DETOUR	GLOBAL DETOUR	CRITICAL LOCATIONS	RESPONSE Plan	AGENCY CONTACTS	DMS MESSAGES	TRAFFIC Control
	1/7	2/7	3/7	4/7	5/7	6/7	7/7
Ī	owa DOT TMC:	515-237-3300	ENSURE AL	L OVERWEIGHT	AND OVERSIZE	VEHICLES ARE F	ARKED SAFELY

FREEWAY	POLK COUNTY	I-35 SOUTHBOUND	FROM: Exit 135 (IA 415/ NW 2nd St.)	PLAN 6012
DIVERSION	IOWA	I-80 WESTBOUND	T0: Exit 131 (Merle Hay Road)	6/7

DMS MESSAGES 🗸

	Sign Location	Page 1	Page 2
PRIMARY	I-80 WB @ 4-Mile - OH	I-80/35 W CLOSED AT EXIT 135 USE ALT ROUTE	THRU TRAFFIC USE I-235 W
	I-80 WB @ Altoona - OH	I-80/35 W CLOSED AT EXIT 135 USE ALT ROUTE	THRU TRAFFIC USE I-235 W
	I-35 SB @ Corp Woods-OH	I-80/35 W CLOSED AT EXIT 135 USE ALT ROUTE	THRU TRAFFIC USE I-235 W
	I-35 SB @ Elkhart - SM	I-80/35W AT EX135 CLOSED	USE ALT ROUTE
LOCAL	I-235 EB @ Euclid - OH	I-80/35 W CLOSED AT EXIT 135 USE ALT ROUTE	
	I-235 EB @ Guthrie - SM	I-80/35W AT EX135 CLOSED	USE ALT ROUTE
	Applicable I-80/35 WB PDMS Messages Before Exit 135	I-80/35W AT EX135 CLOSED	DETOUR EXIT 136 US 69 S
	Applicable Off-Route PDMS Messages	I-80/35W AT EX135 CLOSED	USE ALT ROUTE

	LOCAL DETOUR	GLOBAL DETOUR	CRITICAL LOCATIONS	RESPONSE Plan	AGENCY CONTACTS	DMS MESSAGES	TRAFFIC Control
	1/7	2/7	3/7	4/7	5/7	6/7	7/7
lo	wa DOT TMC:	515-237-3300	ENSURE AL	L OVERWEIGHT	AND OVERSIZE	VEHICLES ARE F	ARKED SAFELY

FREEWAY	POLK COUNTY	I-35 SOUTHBOUND	FROM: Exit 135 (IA 415/ NW 2nd St.)	PLAN 6012
DIVERSION	IOWA	I-80 WESTBOUND	T0: Exit 131 (Merle Hay Road)	6/7

DMS MESSAGES 🗸

	Sign Location	Page 1	Page 2
LOCAL SECONDARY	I-80 WB @ 4-Mile - OH	I-80/35 W CLOSED AT EXIT 135 USE ALT ROUTE	THRU TRAFFIC USE I-235 W
	I-80 WB @ Altoona - OH	I-80/35 W CLOSED AT EXIT 135 USE ALT ROUTE	THRU TRAFFIC USE I-235 W
	I-35 SB @ Corp Woods-OH	I-80/35 W CLOSED AT EXIT 135 USE ALT ROUTE	THRU TRAFFIC USE I-235 W
	I-35 SB @ Elkhart - SM	I-80/35W AT EX135 CLOSED	USE ALT ROUTE
	I-235 EB @ Euclid - OH	I-80/35 W CLOSED AT EXIT 135 USE ALT ROUTE	
	I-235 EB @ Guthrie - SM	I-80/35W AT EX135 CLOSED	USE ALT ROUTE
	Applicable I-80/35 WB PDMS Messages Before Exit 135	I-80/35W AT EX135 CLOSED	DETOUR EXIT 135 IA 415 N
	Applicable Off-Route PDMS Messages	I-80/35W AT EX135 CLOSED	USE ALT ROUTE

LOCAL	GLOBAL	CRITICAL	RESPONSE	AGENCY	DMS	TRAFFIC
DETOUR	DETOUR	LOCATIONS	PLAN	CONTACTS	MESSAGES	CONTROL
1/7	2/7	3/7	4/7	5/7	6/7	7/7
Iowa DOT TMC:	515-237-3300	ENSURE AL	L OVERWEIGHT	AND OVERSIZE	VEHICLES ARE F	ARKED SAFELY

FREEWAY	POLK COUNTY	I-35 SOUTHBOUND	FROM: Exit 135 (IA 415/ NW 2nd St.)	PLAN 6012
DIVERSION	IOWA	I-80 WESTBOUND	T0: Exit 131 (Merle Hay Road)	6/7

DMS MESSAGES 🗸

	Sign Location	Page 1	Page 2
	I-80 WB @ 4-Mile - OH	I-80/35 W CLOSED AT EXIT 135 USE EX 137A/I-235 W	
	I-80 WB @ Altoona - OH	I-80/35 W CLOSED AT EXIT 135 USE EX 137A/I-235 W	
	I-35 SB @ Corp Woods-OH	I-80/35 W CLOSED AT EXIT 135 USE EX 137B/I-235 W	
GLOBAL	I-35 SB @ Elkhart - SM	I-80/35W AT EX135 CLOSED	DETOUR EX 137B I-235 W
	I-235 EB @ Euclid - OH	I-80/35 W CLOSED AT EXIT 135 USE ALT ROUTE	
	I-235 EB @ Guthrie - SM	I-80/35W AT EX135 CLOSED	USE ALT ROUTE
	Applicable I-80/35 WB PDMS Messages Before Exit 136	I-80/35W AT EX135 CLOSED	DETOUR EXIT 136 US 69 S
	Applicable I-80/35 WB PDMS Messages Before Exit 135	I-80/35W AT EX135 CLOSED	DETOUR EXIT 135 IA 415 N
	Applicable Off-Route PDMS Messages	I-80/35W AT EX135 CLOSED	USE ALT ROUTE

Primary	Des Moines State Radio	515-323-4360
	Polk County	515-286-3333
Secondary	Des Moines State Radio	515-323-4360
	Polk County	515-286-3333
	Union Pacific	888-877-7267
Global	Des Moines State Radio	515-323-4360
	Polk County	515-286-3333
	Des Moines PD	515-283-4811
	Westcom	515-222-3321

LOCAL DETOUR	GLOBAL DETOUR	CRITICAL LOCATIONS	RESPONSE Plan	AGENCY CONTACTS	DMS MESSAGES	TRAFFIC CONTROL
1/7	2/7	3/7	4/7	5/7	6/7	7/7
Iowa DOT TMC: 515-237-3300 ENSURE ALL OVERWEIGHT AND OVERSIZE VEHICLES ARE PARKED SAFELY						

FREEWAY DIVERSION

TRAFFIC CONTROL

LOCATION		INITIAL ACTION/RESOURC		EXTENDED ACTION/RESOURCE			
Local Diversion - Primary							
WB I-80/35 Off Ramp Exit 135	Law enforcement traffic control as needed		Install Temporary Diversion Trailblazing Signage as Needed				
NW 2nd Ave & NW 66th Ave	Law enforcement traffic control as needed		Install Temporary Diversion Trailblazing Signage as Needed				
NW 65th Ln & NW 6th Dr.	Law enforcement traffic control as needed		Install Temporary Diversion Trailblazing Signage as Needed				
NW 6th Dr. & NW 66th Ave	Law enforcement traffic control as needed		Install Temporary Diversion Trailblazing Signage as Needed				
NW 66th Ave & NW Beaver Dr.	Law enforcement traffic control as needed		Install Temporary Diversion Trailblazing Signage as Needed				
NW Beaver Dr. & NW Johnson Dr.	Law enforcement traffic control as needed		Install Temporary Diversion Trailblazing Signage as Needed				
NW Johnston Dr. & Merle Hay Rd	Law enforcement traffic control as needed		Install Temporary Diversion Trailblazing Signage as Needed				

Local Diversion - Secondary

EB I-35 Off Ramp Exit 136	Law enforcement traffic control as needed	Install Temporary Diversion Trailblazing Signage as Needed		
US 69/NE 14th St. & NE Broadway Ave	Law enforcement traffic control as needed	Install Temporary Diversion Trailblazing Signage as Needed		
US 69/E 14th St. & US 6/E Euclid Ave	Law enforcement traffic control as needed	Install Temporary Diversion Trailblazing Signage as Needed		
Douglas Ave & Merle Hay Rd. EB	Law enforcement traffic control as needed	Install Temporary Diversion Trailblazing Signage as Needed		
I-35 Off Ramp Exit 136	Law enforcement traffic control as needed	Install Temporary Diversion Trailblazing Signage as Needed		

Global Diversion

I-80 WB to I-235 WB Monito			r location		Detour signi	Detour signing			
I-235 WB to I-80 WB Monito			r location		Detour signi	Detour signing			
LOCAL DETOUR 1/7	GLOE DETO 2/	UR	CRITICAL LOCATIONS 3/7	RESPONSE PLAN 4/7	AGENCY CONTACTS 5/7	DMS MESSAGES 6/7	TRAFFIC Control 7/7		
lowa DOT TMC: 515-237-3300			ENSURE ALL OVERWEIGHT AND OVERSIZE VEHICLES ARE PARKED SAFELY						